

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Cancelled)

2. (Cancelled)

3. (Cancelled)

4. (Cancelled)

5. (Cancelled)

6. (Previously presented) A computer readable medium including computer instructions executable on a computer for carrying out a method of characterizing objects generated during at least a partial run of a program, each object comprising a plurality of potential alternative properties, said method comprising:

a) instrumenting said at least partial run of said program to determine characterization information about each of said objects;

b) determining a desirable property for each of said objects;

c) determining a desirable one of said potential alternative properties for said objects;

d) using said correlation to select among the alternative properties for an object subsequently created during an at least partial run of said program based upon characterization information about the subsequently created object.

7. (Currently amended) The computer readable medium as set forth in claim 6, wherein the determining of ~~an initial~~ a desirable property in step (b) is carried out by minimizing total cost of interaction among components during at least a partial run of said program.

8. (Previously presented) The computer readable medium as set forth in claim 6, wherein said characterization information of an object comprises at least one of said object's class, classification of said object's creator object, and a code identification of said object's creation site.

9. (Previously presented) The computer readable medium as set forth in claim 6, wherein said alternative properties comprise a string representation selected from ASCII, EBCDIC, and UNICODE.

10. (Previously presented) The computer readable medium as set forth in claim 6, wherein said alternative properties comprise a data structure selected from hash table, tree, and compressed data structures.

11. (New) A computer-implemented method of characterizing objects generated during at least a partial run of a program, each object comprising a plurality of potential alternative properties, said method comprising:

- a) instrumenting said at least partial run of said program to determine characterization information about each of said objects;
- b) determining a desirable property for said objects;
- c) determining a desirable one of said potential alternative properties for said objects; and
- d) using said correlation to select among the alternative properties for an object subsequently created during an at least partial run of said program based upon characterization information about the subsequently created object.

12. (New) The method as set forth in claim 11, wherein the determining of a desirable

property in step (b) is carried out by minimizing total cost of interaction among components during at least a partial run of said program.

13. (New) The method as set forth in claim 11, wherein said characterization information of an object comprises at least one of said object's class, classification of said object's creator object, and a code identification of said object's creation site.

14. (New) The method as set forth in claim 1, wherein said alternative properties comprise a string representation selected from ASCII, EBCDIC, and UNICODE.

15. (New) A method as set forth in claim 11, wherein said alternative properties comprise a data structure selected from hash table, tree, and compressed data structures.